

Community Mental Health Profiles User Guide

Using Fingertips Software

June 2014



Contents

1.	Introduction	3
2.	Quick Guide to Fingertips Software Features	3
	Additional information	3
	Search for indicators	3
	Domains	3
	Geography	3
	Statistical significance and colour coding	4
3.	Views	5
	Overview	5
	Maps	7
	Trends view	7
	Indicators view	8
	Areas view	9
	Definitions	10
	Downloads	10
4.	Acknowledgements	10



1. Introduction

The Community Mental Health Profiles are a suite of interactive web tools and pdf reports developed for the Mental Health Intelligence Network by the Northern & Yorkshire Knowledge and Intelligence Team (NYKIT) of Public Health England.

The profiles use the Fingertips software which was developed by the Knowledge and Intelligence Team (KIT East) to provide easy access to in-depth analysis of a wide range of health related data in thematic profiles.

This user guide focuses on the common features of the Fingertips software and uses examples taken from the Community Mental Health Profiles. Other profiles developed in the software also share these features. Metadata information on the indicators themselves are available via the 'Definitions' section of the profiles.

2. Quick Guide to Fingertips Software Features

A training video for the Subnational Fingertips tool is available at http://www.erpho.org.uk/training/trainingvideos.aspx

Additional information

A Home link and links to supporting information such as FAQs and feedback email are found in the top section of each tool.

Search for indicators

Most tools provide search facilities, located at the top right of the page. Using this function returns all indicators which include the keyword in the name or in a specific set of metadata fields.



Domains

Tools which are broken down into subsections or domains can be explored by clicking the domain headings. For example:

Community Mental Health Profiles					
Levels of mental health and illness	Treatment	Outcomes			

Geography

The example below shows a profile with the complete set of options, only offered when choices are actually available in the data:

	Areas grouped by: Commissioning region	•		
Area: () NHS Bassetlaw CCG	Commissioning region: North Of England	•	Benchmark: England	•



Area type

Fingertips can only display data for one level of geography at a time. The Community Mental Health Profiles contains indicators at CCG level, though practice level data can also be seen in the pdf reports.

Areas grouped by

Which areas are displayed together is decided in the 'Areas grouped by'-dropdown. The options are either a higher geographical level (Centre, Region) or groupings by similarity such as deprivation deciles.

Subsequent choices

Dependent on the choice of 'Areas grouped by' the drop down underneath is populated (in the example above: choosing 'PHE Centre' determines that centres are offered to choose from – Thames Valley was selected here). Subsequently options are offered in 'Area', these are based on the previous selections: E.g. Oxfordshire is one of the Counties/UAs in Thames Valley.

Benchmark

To decide on statistical significance a benchmark needs to be chosen. This is by default England but an alternative comparison with more similar areas (such as Region) is also offered in most cases.

Statistical significance and colour coding

A training video on significance is available at <u>http://www.erpho.org.uk/training/trainingvideos.aspx</u>

Compared with benchmark: O Lower O Similar O Higher O Not compared

For each indicator, the colour coding shows whether the measure for that area is statistically above or below the comparator (95% confidence). The default comparator is the national average. This can be changed to the regional average using the benchmark 'drop-down' at the top of the page. Details of the statistical method used for comparison are available by clicking on the 'Definitions' tab. Wherever possible, statistical process control methods have been used for comparison. If the indicator is not coloured it means that no statistical comparison was possible. In most cases this is because the raw data used to calculate the indicator, and which is necessary to undertake statistical comparison, were not available, or the necessary benchmark value could not be obtained.

Even if an indicator not significantly different to England, there may still be a health issue in the area that is worthy of intervention. Some indicators will change colour depending on the comparator group – for example, it is not unusual for areas to be significantly higher than the England average while not being significantly different from the regional average. It is also possible that an area may be experiencing a downward trend while remaining above the national or regional average. Local knowledge and understanding of health issues are so needed to provide context and to inform decisions of where priorities lie.



3. Views

The Community Mental Health Profiles consist of five web views that illustrate the indicators in a variety of styles. A definitions section and a download section have also been included in the profile to provide access to and an understanding of the data illustrated through the profile. These profile features are listed below, with the subsequent pages providing further details -

	'Overview' is the default option. It shows all the indicators in rows, the geographical areas in columns, and indicator data in each cell, colour- coded depending on whether it is significantly different from the benchmark.
Мар	'Map' allows users to see the spatial variation of indictors across England. For each indicator a bespoke comparator group can be defined by the user, with the selected geographies being also presented in a column chart in order of value.
Trends	'Trends' allows users to look at data over time, presenting data as a graph and a table. Drop-down boxes allow users to choose the indicator and area of interest and colour-coding indicates whether the values are significantly different from the benchmark.
Compare areas	'Indicators' allows the user to select an indicator from the drop-down box and examine values for all geographical areas with a bar chart, funnel plot, and a table showing the confidence intervals around each value.
Area profiles	'Areas' allows users to select a geographical area and presents all the indicators in a profile for that area in a spine chart. Counts as well as indicator values are presented here, along with figures for national and regional averages, and the range of values.
1 Definitions	'Definitions' provides more details about each indicator, including the data source and rationale. It also gives information on how statistical comparisons are made for each indicator.
E Download	'Download' provides access to actual indicator data and the underlying data used in the production of the indicator in spread sheet format. Printable profile documents are also available for each CCG.

Overview

Overview

'Overview' is the default option in most profiles. It shows all the indicators in rows, the geographical areas in columns, and indicator data in each cell, colour-coded depending on whether it is significantly different from the benchmark.

This view shows a 'tartan rug' of all the indicators, allowing indicators to be compared across all the areas belonging to the grouped-by option chosen (see above: geography). For some options the number of indicators is large and users will probably have to scroll down the screen to see all of the measures. For each indicator, where statistical significance can be calculated the colour coding shows whether the measure for that area is statistically above or below the comparator average. The default comparator is the national average.



The values in the tartan rug can be sorted using the arrows at the start of each row. Using the arrows in the header row sorts the areas alphabetically while using them in an indicator row sorts the table by ascending or descending values of the indicator where the sorting was applied.

Sort the columns into a order (this is the defau	•		P	Vorth Of England Commiss	Airedale, Wharfdale	Barnsley CCG	Bassetlaw CCG	Blackburn With Darw	Blackpool CCG
Indicator	Period		England	North	NHS A	NHS B	NHS B	NHS B	NHS B
Patients with a diagnosis recorded	2013/14 Q1	4 ∢⊳	17.8	12.5	7.1	3.9	5.0	6.5	5.9
Patients assigned to a mental health cluster	2013/14 Q1		69.0	69.8	79.3	62.4	87.5	70.5	69.3
Patients with a comprehensive care plan	2012/13	3	87.3	-	89.3	83.1	92.3	89.9	85.5
Patients with severity of depression assessed	2012/13	3	90.6	90.0	90.7	84.8	95.6	94.0	93.6
Antidepressant prescribing (ADQs/STAR-PU)	2012/13	3	6.0	-	6.1	8.1	7.1	6.9	8.9
Sort the columns by the values of this indicator. Click once to sort in descending order, click twice									


sort in ascending order.



Maps

Map

'Maps' allows users to see the spatial distribution of the value of indictor across England. It also allows the user to build a bespoke comparator group of geographies. A variety of benchmarks can also be selected.



Trends view

Trends

This view presents indicator time series data. Drop-down boxes allow users to select the geographical area and the indicator of interest. The default view is to present one indicator for one area. However, it is also possible to choose to show all indicators for the area, or to generate many charts showing the same indicator over time in all areas.



For most indicators in the Community Mental Health Profiles, time series data is not available, but it will be improved over time. These data are presented in chart form and also in table form, with confidence intervals shown in the tables. Hovering over a data point on the chart will display the values for that point.



Indicators view

🗔 Compare areas

This tool allows areas that have been grouped together to be compared by use of a bar chart. Both the indicator and comparator group can be changed using the drop-down menu.

Sort the rows into alphabetical order (this is the default view)		Sort the rows by the values of this indicator. Click once to sort in descending order, click twice to sort in ascending order.					
Area	Value		Lower Cl	Upper Cl			
England	65.2	H	64.5	66.0			
Greater Manchester Area Team	85.6		-	-			
NHS Bolton CCG	69.2	⊢ <mark>−−</mark>	58.8	80.8			
NHS Bury CCG	63.5	H	51.2	77.9			
NHS Central Manchester	89.7	HH	75.9	105.4			
NHS Heywood, Middleton	101.8	H	87.2	118.1			
NHS North Manchester CC	114.0	H	97.3	132.8			
NHS Oldham CCG	89.7	H	76.5	104.6			
NHS Salford CCG	71.4	<mark>⊢</mark>	60.0	84.3			
NHS South Manchester CC	112.3		94.8	131.9			
NHS Stockport CCG	78.8	HH	67.9	90.8			
NHS Tameside And Glosso	102.4	⊢	88.5	117.9			
NHS Trafford CCG	69.7	h	58.0	83.1			
NHS Wigan Borough CCG	83.0	HH	72.1	94.9			

Source: Health & Social Care Information Centre (HSCIC).



Areas view

Area profiles

A training video on spine charts is available at <u>http://www.erpho.org.uk/training/trainingvideos.aspx</u>

This view focuses on one area, selected using the drop-down box near the top of the page or by clicking on the area name in the Overview. It produces a table of indicators within the theme which contains typically:

• counts for the area (for example, People on the Care Programme Approach per 100,000 population).

Colour-coded

- the indicator value for the area (usually a percentage or a rate)
- the value for England and for the region
- the lowest and highest values within the grouping.

					indicator value			Je	
Indicator	Period	Bassetlaw		Commissioning Engl region		England		England	
		Count	Value	Value		Value	Worst	Range	Best
People on Care Programme Approach/100,000 population	2013/14 Q1	148	165	ŧ	563	531	17		1,895
% CPA adults in settled accommodation	2013/14 Q1	59	45.0%	52.	6%	61.0%	5.0%		94.6%
% CPA adults in employment	2013/14 Q1	6	4.6%	5.	7%	7.0%	0.0%		22.7%
Emergency admissions for self harm/100,000 population	2012/13	283	257.5	-		191.0	49.8		595.6
Suicide rate	2010 - 12	30	8.7	-		8.5	4.8		19.6
Hospital admissions for unintentional and deliberate injuries, ages 0-24/10,000 population	2012/13	454	143.1			116.0	68.6		201.7
Rate of recovery for IAPT treatment	2012/13	388	46.0%	43.	9%	45.9%	22.6%		80.3%

Range of the data – here, the data is skewed towards the best values

Interquartile range

Benchmark average

It also displays these data in the form of a spine chart with colour coded points indicating whether the area is significantly different from the benchmark. Hovering the mouse cursor over elements of the spine chart will give more information about the underlying data. When England is selected as the benchmark, a spine chart display is generated for the indicator if at least 75% of the values in England have valid data. This rule is to prevent the display of spine charts that are misrepresentative due to extensive missing or suppressed data points.

In the spine chart the red vertical line represents the benchmark. The light grey bar shows the range between the highest and lowest areas in England or the region (depending on the benchmark selected) with the interquartile range shown in dark grey.

• The interquartile range (dark grey bar) is the difference between the 25th and 75th percentile i.e. if all areas' values for an indicator are ranked from lowest to highest the 25th percentile is 25% of the way through the ranking and the 75th is 75% of the way through.



• The light grey bar represents the range and skew of the data. If the worst and best values are equidistant from the mean the light grey bar will extend evenly across the chart. If the data are skewed towards the lower values the light grey bar will extend to the left hand side and if the data are skewed towards the higher values the light grey bar will extend to the right hand side.

Each dot represents the area indicator value. Dots to the left of the red line show that the value for this area is lower than the benchmark average, dots to the right of the line show that the value is higher than the benchmark average. Where possible, these are colour coded showing whether the local value is statistically significantly lower (dark blue), higher (light blue) or not significantly different from the comparator (amber).

For indicators where no value judgement is possible (e.g. proportion of the population in a certain age group) low values are located at the left and high values on the right of the spine. The dots are in these cases dark blue (significantly lower), amber (not significantly different) and light blue (significantly higher).

Definitions

Definitions

For each indicator there is a set of metadata, providing a definition for the indicator, the data source, the methods applied etc. Depending on the purpose, more detailed information might be required than can be provided in the metadata. In this case please see also the Profile specific supporting documents or contact <u>profilefeedback@phe.gov.uk</u>.

Downloads

🛃 Download

'Download' provides access to actual indicator data and the underlying data used in the production of the indicator in spread sheet format, along with the accompanying metadata. Printable profile documents are also available for each CCG.

4. Acknowledgements

This document is based on version 1.7 of the Fingertips User Guide produced in February 2014 and was modified specifically to support the Neurology Profiles produced in June 2014. Many thanks to Doris Haines, Hannah Walford and colleagues at KIT East.