

Ind ID	Indicator name	County / UA	Dist / UA	Ward	STP	CCG	GP	Data quality score	Data quality comment	Main concerns	Date of assessment
Incidence and prevalence											
91141	Estimated prevalence of mental health disorders in children and young people: % population aged 5-16	Y	Y					2	There are some concerns regarding the quality of this indicator	Unvalidated approach. Underlying prevalence date 10 years old.	Jan 2017
90853	Estimated prevalence of common mental health disorders: % of population aged 16-74				Y	Y		2	There are some concerns regarding the quality of this indicator	Is an estimate. May be differences in estimation approach used across CCGs.	Jan 2017
90646	Depression recorded incidence (QOF): % of practice register aged 18+	Y			Y	Y	Y	3	The quality of this indicator is robust		Jan 2017
848	Depression recorded prevalence (QOF): % of practice register aged 18+	Y			Y	Y	Y	3	The quality of this indicator is robust		Jan 2017
90647	Depression and anxiety prevalence (GP Patient Survey): % of respondents (aged 18+)	Y			Y	Y		2	There are some concerns regarding the quality of this indicator	Self reported - not validated measure of mental health state. Sample may be small or not representative.	Jan 2017
90535	Depression and anxiety among social care users: % of social care users	Y						2	There are some concerns regarding the quality of this indicator	Self reported - not validated measure of mental health state. Sample may be small or not representative.	Jan 2017
358	Long-term mental health problems (GP Patient Survey): % of respondents (aged 18+)	Y			Y	Y		2	There are some concerns regarding the quality of this indicator	Self reported - not validated measure of mental health state. Sample may be small or not representative.	Jan 2017
90371	New cases of psychosis: estimated incidence per 100,000 population aged 16-64	Y	Y		Y	Y		2	There are some concerns regarding the quality of this indicator	Is a modelled estimate	Jan 2017
90581	Severe mental illness recorded prevalence (QOF): % of practice register (all ages)	Y			Y	Y	Y	3	The quality of this indicator is robust		Jan 2017
92621	ESA claimants for mental and behavioural disorders: rate per 1,000 working age population (mid-year snapshot)	Y	Y					3	The quality of this indicator is robust		Jan 2017
Risk factors											
20301	Smoking at time of delivery: % of mothers	Y	Y		Y	Y		2	There are some concerns regarding the quality of this indicator	Self reported	Jan 2017
20101	Low birthweight of term babies: % of all live births	Y	Y					3	The quality of this indicator is robust		Jan 2017
339	Child poverty: % of children aged 0-15 (IDACI)	Y	Y	Y		Y	Y	2	There are some concerns regarding the quality of this indicator	Numerators estimated by applying IDACI domain score to mid-2012 population estimates for LSOAs, these are then aggregated up to local authorities and England or matched to wards by best fit by size of area.	Jan 2017
20601	Excess weight in Reception year: % of children aged 4-5	Y	Y					3	The quality of this indicator is robust		Jan 2017
20602	Excess weight in Year 6: % of children aged 10-11	Y	Y					3	The quality of this indicator is robust		Jan 2017
90401	Looked after children: rate per 10,000 <18 population	Y						3	The quality of this indicator is robust		Jan 2017
90909	Children in need due to abuse, neglect or family dysfunction: % of children in need	Y						3	The quality of this indicator is robust		Jan 2017
90904	Pupils with behavioural, emotional and social support needs: % of school pupils	Y						3	The quality of this indicator is robust		Jan 2017
91817	3 or more risky behaviours: % of 15 year olds	Y						2	There are some concerns regarding the quality of this indicator	Self reported. Sample may be small or not representative.	Jan 2017
10501	16-18 year olds not in education employment or training: % of 16-18 year olds	Y						3	The quality of this indicator is robust		Jan 2017
10401	First time entrants to the youth justice system: rate per 100,000 population aged 0-17	Y						3	The quality of this indicator is robust		Jan 2017
91872	Socioeconomic deprivation: overall score (IMD 2015)	Y	Y	Y		Y	Y	3	The quality of this indicator is robust		Jan 2017
1730	Socioeconomic deprivation: % of people living in 20% most deprived areas (IMD 2015)	Y	Y					3	The quality of this indicator is robust		Jan 2017
92456	First time offenders: rate per 100,000 population	Y						3	The quality of this indicator is robust		Jan 2017
11301	Re-offending levels: % of offenders	Y	Y					3	The quality of this indicator is robust		Jan 2017
11202	Violent crime (including sexual violence) - violence offences: rate per 1,000 population	Y	Y					3	The quality of this indicator is robust		Jan 2017
90644	Domestic abuse incidents recorded by the police: rate per 1,000 population	Y						2	There are some concerns regarding the quality of this indicator	Recording and reporting differences can have large effect.	Jan 2017
92635	Crime deprivation: score	Y	Y					3	The quality of this indicator is robust		Jan 2017
91133	Long-term unemployment: rate per 1,000 working age population	Y	Y	Y				3	The quality of this indicator is robust		Jan 2017
92628	Employment deprivation: score	Y	Y					3	The quality of this indicator is robust		Jan 2017
90356	Fuel poverty: % of households	Y	Y					3	The quality of this indicator is robust		Jan 2017
92641	Homelessness applications - total decisions made: rate per 1,000 households	Y	Y					3	The quality of this indicator is robust		Jan 2017
11502	Statutory homelessness - households in temporary accommodation: rate per 1,000 households	Y	Y					3	The quality of this indicator is robust		Jan 2017
92314	Statutory homelessness - eligible homeless not in priority need: rate per 1,000 households	Y	Y					3	The quality of this indicator is robust		Jan 2017
92620	Housing affordability: ratio of lower quartile earnings to lower quartile house prices	Y						3	The quality of this indicator is robust		Jan 2017
92408	Landlord home repossessions: rate per 1,000 dwellings	Y						3	The quality of this indicator is robust		Jan 2017
91117	Estimated prevalence of opiate and/or crack cocaine use: rate per 1,000 population aged 15-64	Y						3	The quality of this indicator is robust		Jan 2017
91385	Alcohol-related hospital admission (broad): directly standardised rate per 100,000 population	Y	Y			Y		3	The quality of this indicator is robust		Jan 2017
90640	Excess weight in adults: % of population aged 16+	Y	Y					2	There are some concerns regarding the quality of this indicator	Is an estimate based on national survey rates.	Jan 2017
750	Smoking prevalence in adults - current smokers: % of population aged 18+	Y	Y					3	The quality of this indicator is robust		Jan 2017
90408	Long term health problem or disability: % of population	Y	Y		Y	Y		3	The quality of this indicator is robust		Jan 2017
340	Older people living in poverty: % of population aged 60+ (IDAOP)	Y		Y		Y	Y	3	The quality of this indicator is robust		Jan 2017
91406	Older people living alone: % of households occupied by a single person aged 65 or over	Y						3	The quality of this indicator is robust		Jan 2017

Ind ID	Indicator name	County / UA	Dist / UA	Ward	STP	CCG	GP	Data quality score	Data quality comment	Main concerns	Date of assessment
Protective factors											
91812	Wellbeing in 15 year olds: mean wellbeing (WEMWBS) score aged 15	Y						2	There are some concerns regarding the quality of this indicator	Sample may be small or not representative.	Jan 2017
92199	GCSEs achieved 5A*-C including English and Maths	Y	Y	Y				3	The quality of this indicator is robust		Jan 2017
92313	Employment: % of population aged 16-64	Y	Y					3	The quality of this indicator is robust		Jan 2017
90275	Enough physical activity: % of population aged 16+	Y	Y					3	The quality of this indicator is robust		Jan 2017
11601	Use of outdoor space for exercise/health: estimated % of population aged 16+	Y						2	There are some concerns regarding the quality of this indicator	Is an estimate based on national survey rates.	Jan 2017
92619	Sports club membership: % of population aged 16+	Y						2	There are some concerns regarding the quality of this indicator	Is an estimate based on national survey rates.	Jan 2017
92617	Self-reported well-being - high happiness score: % of respondents	Y						2	There are some concerns regarding the quality of this indicator	Is an estimate based on national survey rates.	Jan 2017
92616	Self-reported well-being - high satisfaction score: % of respondents	Y						2	There are some concerns regarding the quality of this indicator	Is an estimate based on national survey rates.	Jan 2017
92618	Voter turnout: % of electoral roll		Y					3	The quality of this indicator is robust		Jan 2017
90669	Quality of indoor living environment: IMD score		Y					3	The quality of this indicator is robust		Jan 2017
347	Recommend GP (GP Patient Survey): % of respondents				Y	Y	Y	2	There are some concerns regarding the quality of this indicator	Sample may be small or not representative.	Jan 2017
90280	Enough social contact in adult social care users: % of adult social care users	Y						2	There are some concerns regarding the quality of this indicator	Data from self-reported survey	Jan 2017
90638	Enough social contact in adult carers: % of adult carers	Y						2	There are some concerns regarding the quality of this indicator	Data from self-reported survey	Jan 2017
Services											
92642	New children and young people receiving treatment in NHS funded community services: rate (quarterly) per 100,000 population aged 0-17				Y	Y		3	The quality of this indicator is robust		Jan 2017
92654	Admissions of children and young people in CAMHS Tier 4 wards: rate (quarterly) per 100,000 population aged 0-17				Y	Y		3	The quality of this indicator is robust		Jan 2017
92655	Bed days for children and young people in CAMHS Tier 4: rate (quarterly) per 100,000 population aged 0-17				Y	Y		3	The quality of this indicator is robust		Jan 2017
90813	Hospital admissions as a result of self-harm (10-24 years): directly standardised rate per 100,000 population aged 10-24	Y				Y		3	The quality of this indicator is robust		Jan 2017
92584	Hospital admissions for self-harm, standardised emergency admission ratio	Y		Y				3	The quality of this indicator is robust		Jan 2017
90798	Entering IAPT treatment: rate (quarterly) per 100,000 population aged 18+				Y	Y		3	The quality of this indicator is robust		Jan 2017
90592	Access to IAPT services: people entering IAPT (in month) as % of those estimated to have anxiety/depression					Y		3	The quality of this indicator is robust		Jan 2017
90748	Completion of IAPT treatment: rate (quarterly) per 100,000 population aged 18+				Y	Y		3	The quality of this indicator is robust		Jan 2017
90744	IAPT referrals for BME patients: % of referrals (in quarter)				Y	Y		2	There are some concerns regarding the quality of this indicator	There is variation in the completeness of ethnic group coding. Be aware of completeness metric when using this indicator.	Jan 2017
90955	BME mental health service users: % of mental health service users				Y	Y		2	There are some concerns regarding the quality of this indicator	Uses MHMDS data (2014/15)	Jan 2017
92643	Contact with mental health or learning disability services: rate per 1,000 patients on GP practice list aged 18+ (persons)	Y					Y	2	There are some concerns regarding the quality of this indicator	Uses MHLDDS data - includes adults with learning disabilities	Jan 2017
92653	Contact with mental health or learning disability services: rate per 1,000 population aged 18+ (persons)					Y		2	There are some concerns regarding the quality of this indicator	Uses MHLDDS data - includes adults with learning disabilities	Jan 2017
92653	Contact with mental health or learning disability services: rate per 1,000 population aged 18+ (males)					Y		2	There are some concerns regarding the quality of this indicator	Uses MHLDDS data - includes adults with learning disabilities	Jan 2017
92653	Contact with mental health or learning disability services: rate per 1,000 population aged 18+ (females)					Y		2	There are some concerns regarding the quality of this indicator	Uses MHLDDS data - includes adults with learning disabilities	Jan 2017
92653	Contact with mental health or learning disability services: rate per 1,000 population aged 18-64					Y		2	There are some concerns regarding the quality of this indicator	Uses MHLDDS data - includes adults with learning disabilities	Jan 2017
92653	Contact with mental health or learning disability services: rate per 1,000 population aged 65+					Y		2	There are some concerns regarding the quality of this indicator	Uses MHLDDS data - includes adults with learning disabilities	Jan 2017
90536	Social care assessments for mental health clients: rate per 100,000 population aged 18-64	Y						2	There are some concerns regarding the quality of this indicator	Issues of data transfer, quality and consistency	Jan 2017
90540	Assessments for carers of adult mental health clients: rate per 100,000 population aged 18+	Y						2	There are some concerns regarding the quality of this indicator	Issues of data transfer, quality and consistency	Jan 2017
90537	Social care mental health clients in residential or nursing care: rate per 100,000 population aged 18-64	Y						2	There are some concerns regarding the quality of this indicator	Issues of data transfer, quality and consistency	Jan 2017
91294	Concurrent contact with mental health services and substance misuse services for drug misuse: % of people in drug misuse treatment aged 18+	Y						3	The quality of this indicator is robust		
91295	Concurrent contact with mental health services and substance misuse services for alcohol misuse: % of people in alcohol misuse treatment aged 18+	Y						3	The quality of this indicator is robust		
91416	Admissions to hospital for mental and behavioural disorders due to alcohol: rate per 100,000 population	Y				Y		3	The quality of this indicator is robust		Jan 2017
90409	Mental health admissions to hospital: rate (quarterly) per 100,000 population				Y	Y		2	There are some concerns regarding the quality of this indicator	Uses MHMDS data (2014/15)	Jan 2017
90927	Service users in hospital: % mental health service users who were inpatients in a psychiatric hospital (end of quarter snapshot)				Y	Y		2	There are some concerns regarding the quality of this indicator	Uses MHLDDS data (2015/16 Q2)	Jan 2017
90845	Attendances at A&E for a psychiatric disorder: rate per 100,000 population				Y	Y		2	There are some concerns regarding the quality of this indicator	Inconsistent and incomplete diagnosis coding. No breakdown available by mental health condition or severity.	Jan 2017
90413	People subject to Mental Health Act: rate per 100,000 population (end of quarter snapshot)				Y	Y		2	There are some concerns regarding the quality of this indicator	Uses MHLDDS data (2015/16 Q2)	Jan 2017

Ind ID	Indicator name	County / UA	Dist / UA	Ward	STP	CCG	GP	Data quality score	Data quality comment	Main concerns	Date of assessment
Quality & Outcomes											
90847	Hospital admissions for unintentional and deliberate injuries (aged 0-24): rate per 10,000 population aged 0-24				Y	Y		3	The quality of this indicator is robust		Jan 2017
91841	Exception rate for depression: % of patients on depression register excluded from quality indicators				Y	Y	Y	3	The quality of this indicator is robust		Jan 2017
91243	Primary care reviews of depression cases: % of new patients reviewed within 10-56 days				Y	Y	Y	3	The quality of this indicator is robust		Jan 2017
91840	Exception rate for SMI QOF indicators: % of patients on SMI register				Y	Y	Y	3	The quality of this indicator is robust		Jan 2017
90600	People with SMI with a comprehensive care plan: % of patients on SMI register				Y	Y	Y	3	The quality of this indicator is robust		Jan 2017
92593	People with SMI who have received the complete physical health checks: % of patients on SMI register				Y	Y		3	The quality of this indicator is robust		Jan 2017
90593	IAPT recovery: % of people who have completed IAPT treatment who are "moving to recovery"				Y	Y		3	The quality of this indicator is robust		Jan 2017
91920	IAPT DNAs: % of IAPT appointments (in month) where patient did not attend and gave no advance warning				Y	Y		3	The quality of this indicator is robust		Jan 2017
92627	Service users on Care Programme Approach: % of mental health service users (end of quarter snapshot)				Y	Y		3	The quality of this indicator is robust		Jan 2017
90576	Follow up after discharge: % (quarterly) of patients on CPA who were followed up within 7 days after discharge from psychiatric inpatient care				Y	Y		3	The quality of this indicator is robust		Jan 2017
10602	Stable and appropriate accommodation: % of adults on CPA aged 18-69 (persons)	Y						3	The quality of this indicator is robust		Jan 2017
10602	Stable and appropriate accommodation: % of adults on CPA aged 18-69 (males)	Y						3	The quality of this indicator is robust		Jan 2017
10602	Stable and appropriate accommodation: % of adults on CPA aged 18-69 (females)	Y						3	The quality of this indicator is robust		Jan 2017
90589	Satisfaction with social care protection: % service users	Y						2	There are some concerns regarding the quality of this indicator	Sample may be small or not representative.	Jan 2017
90597	Employment of people with mental illness or learning disability: % of those with a mental illness or learning disability	Y						1	There are significant concerns regarding the quality of this indicator	Small sample size. Many areas missing data due insufficient sample or poor quality data. Definition of mental health very broad and does not represent a diagnosis.	Jan 2017
90635	Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate: percentage point difference	Y						1	There are significant concerns regarding the quality of this indicator	Small sample size. Many areas missing data due insufficient sample or poor quality data. Definition of mental health very broad and does not represent a diagnosis.	Jan 2017
92536	Smoking prevalence in people with SMI: % of patients with SMI aged 18+	Y			Y	Y		2	There are some concerns regarding the quality of this indicator	Uses GPES data, dependent on reliability of GP SMI & smoking recording.	Jan 2017
41001	Suicide: age standardised rate per 100,000 population (3 year average) (male)	Y			Y	Y		3	The quality of this indicator is robust		Jan 2017
41001	Suicide: age standardised rate per 100,000 population (3 year average) (female)	Y			Y	Y		3	The quality of this indicator is robust		Jan 2017
41001	Suicide: age standardised rate per 100,000 population (3 year average) (persons)				Y	Y		3	The quality of this indicator is robust		Jan 2017
91096	Excess under 75 mortality rate in adults with serious mental illness: ratio	Y						3	The quality of this indicator is robust		Jan 2017
Finance											
90914	Spend (£000s) on Local Authority children and young people's services (excluding education) rate per 10,000 0-17	Y						3	The quality of this indicator is robust		Jan 2017
91721	Specialist mental health services spend: rate (£) per person					Y		2	There are some concerns regarding the quality of this indicator	There are some concerns regarding the quality of this indicator	Jan 2017
91722	Primary care prescribing spend on mental health: rate (£) per person					Y		2	There are some concerns regarding the quality of this indicator	There are some concerns regarding the quality of this indicator	Jan 2017
91724	% spend on specialist mental health services: % of all CCG spend categorised as mental health					Y		2	There are some concerns regarding the quality of this indicator	There are some concerns regarding the quality of this indicator	Jan 2017
90953	Cost of GP prescribing for antidepressant drugs: Net Ingredient Cost (£) per 1,000 STAR-PU (quarterly)					Y		2	There are some concerns regarding the quality of this indicator	Population denominator used may not be appropriate.	Jan 2017
90951	Cost of GP prescribing for psychoses and related disorders: Net Ingredient Cost (£) per 1,000 population (quarterly)					Y		2	There are some concerns regarding the quality of this indicator	Population denominator used may not be appropriate.	Jan 2017
90952	Cost of GP prescribing for hypnotics and anxiolytics: Net Ingredient Cost (£) per 1,000 STAR-PU (quarterly)					Y		2	There are some concerns regarding the quality of this indicator	Population denominator used may not be appropriate.	Jan 2017