

Severe Mental Illness System Profiling Tool: Indicator List

Risk and related factors
CCG
Socioeconomic deprivation: overall IMD score
Number of people with learning disabilities known to GPs: % on register
COUNTY OR UA
Socioeconomic deprivation: overall IMD score
Socioeconomic deprivation: % of people living in 20% most deprived areas
long-term unemployment: % of working age population
Statutory homelessness: rate per 1000 households
Children in poverty: % living in low income households
Looked after children: Rate per 10,000 <18 population
Children leaving care: Rate per 10,000 <18 population
Domestic abuse incidents recorded by the police: Rate per 1,000 population
Prisoner population: Number
Violent crime: rate per 1,000 population
English Language skills: % of people who cannot speak English / speak it well
Population turnover (internal migration): Rate per 1,000 resident population
Migrant GP registrations: Rate per 1,000 resident population
White ethnic group proportion: % of population who identify their ethnicity as white (British, Irish or other)
Mixed/multiple ethnic group proportion: % of population who identify their ethnicity as mixed or multiple groups
Asian or Asian British ethnic group proportion: % of population who identify their ethnicity as Asian or Asian British
Black or Black British ethnic group proportion: % of population who identify their ethnicity as Black or Black British
Other ethnic group proportion: % of population who identify their ethnicity as Other

Prevalence
CCG
Psychotic disorder: Estimated % of people aged 16+
Number of people with SMI known to GPs: % on register
Comparison of QoF and estimated prevalence: QoF register prevalence as a ratio of estimated prevalence
COUNTY OR UA
New cases of psychosis: Estimated incidence per 100,000 aged 16-64
DISTRICT OR UA
New cases of psychosis: Estimated incidence per 100,000 aged 16-64

Services
CCG
Number of people with SMI known to GPs: % on register
Comparison of QoF and estimated prevalence: QoF register prevalence as a ratio of estimated prevalence
GP prescribing of drugs for psychoses and related disorders: Items (quarterly) per 1,000 population
People in contact with services: Rate per 100,000 population (end of quarter snapshot)
People on Care Programme Approach: Rate per 100,000 population (end of quarter snapshot)
Service users on CPA: % people in contact with MH services who are on care programme approach (end of quarter snapshot)
Use of mental health services by BME groups: % of people in contact with mental health services who are in black and minority ethnic groups
New cases of psychosis served by Early Intervention teams: Rate (annual) per 100,000 population
Rate of people being treated by Early Intervention teams: Rate per 100,000 population (end of quarter snapshot)
Rate of people receiving assertive outreach services: Rate per 100,000 population (end of quarter snapshot)
Contacts and daycare attendances: Rate (quarterly) per 100,000 population
Service users in hospital: % mental health service users who were inpatients in a psychiatric hospital (end of quarter snapshot)
Mental health admissions to hospital: Rate (quarterly) per 100,000 population
Mental health discharges from hospital: Rate (quarterly) per 100,000 population
Attendances at A&E for a psychiatric disorder: Rate per 100,000 population
People subject to Mental Health Act: Rate per 100,000 population (end of quarter snapshot)
Admissions under Mental Health Act: % of (quarterly) admissions which were MHA detentions
Detentions on admission to hospital: Rate (quarterly) per 100,000 population
People detained under MHA during year: Rate per 100,000 population
People subject to short-term orders under MHA during year: Rate per 100,000 population
Repeat detentions under MHA during year: Average detentions per person
Repeat short-term orders under MHA during year: Average orders per person

Quality and outcomes
CCG
Patients with SMI who have comprehensive care plan: % with plan
Patients on lithium therapy with record of serum creatinine and TSH: % with record in the preceding 9 months
Patients on lithium therapy with levels in therapeutic range: % within preceding 4 months
Exceptions from SMI checks: % of adults on SMI registers exempt from checks
Patients with SMI with alcohol consumption check: % with record in preceding 12 months
Patients with SMI with BMI check: % with record in preceding 12 months
Patients with SMI with blood pressure check: % with record in preceding 12 months
Female patients with SMI who had cervical screening test: % tested in preceding 5 years
Patients with SMI with cholesterol check: % with record in preceding 12 months
Patients with SMI with blood glucose or HbA1c check: % with record in preceding 12 months
Smokers on GP registers offered cessation support and treatment: % within previous 12 months
Gate kept admissions: % (quarterly) admissions to acute wards that were gate kept by the CRHT teams
Emergency admissions: % of (quarterly) admissions which were emergency
Emergency readmissions: % of (quarterly) admissions which were emergency readmissions
Children on adult wards: Number of bed days (in quarter) on adult mental health wards for patients under the age of 18
Service users with crisis plans: % of people in contact with mental health services with a crisis plan in place (end of quarter snapshot)
CPA review: % of people on CPA for more than 12 months who have had a review (end of quarter snapshot)
CPA users with HoNOS assessment: % of people on CPA with HoNOS recorded (end of quarter snapshot)
Delayed discharges: Days of delayed discharge in quarter as a rate per 1,000 bed days
Follow up after discharge: % (quarterly) of patients on CPA who were followed up within 7 days after discharge from psychiatric inpatient care
Recording of employment status: % of people in contact with mental health services with employment status recorded (end of quarter snapshot)
CPA adults in employment: % of people aged 18-69 on CPA in employment (end of quarter snapshot)

Finance
CCG
Specialist mental health services spend: rate (£) per person
Primary care prescribing spend on mental health: rate (£) per person
% spend on specialist mental health services: % of all CCG spend categorised as mental health
Cost of GP prescribing for psychoses and related disorders: Net Ingredient Cost (£) per 1,000 population (quarterly)

Psychosis Pathway
CCG
Psychotic disorder: Estimated % of people aged 16+
New cases of psychosis: Estimated incidence per 100,000 aged 16-64
Duration of untreated psychosis: Median weeks (Emergent Psychosis Date - Psychosis Prescription Date)
New cases of psychosis served by Early Intervention teams: Rate (annual) per 100,000 population
Access to psychological therapy: % of psychosis care spells receiving psychological therapy
GP prescribing of drugs for psychoses and related disorders: Items (quarterly) per 1,000 population
Physical health checks for patients with SMI: Summary score (average of the 6 physical health check indicators)
People on Care Programme Approach: Rate per 100,000 population (end of quarter snapshot)
Mental health admissions to hospital: Rate (quarterly) per 100,000 population
People subject to Mental Health Act: Rate per 100,000 population (end of quarter snapshot)
HoNOS change measured: % of psychosis cluster episodes that ended in the reporting period with a HoNOS assessment at start and end
Delayed discharges: Days of delayed discharge in quarter as a rate per 1,000 bed days
Social care mental health clients in residential care or receiving home care aged 18-64: Rate per 100,000 population (mapped from local authority)
CPA adults in employment: % of people aged 18-69 on CPA in employment (end of quarter snapshot)
Excess under 75 mortality in adults with serious mental illness: Standardised mortality ratio (mapped from local authority)

Risk and related factors

DISTRICT OR UA

Socioeconomic deprivation: overall IMD score

Socioeconomic deprivation: % of people living in 20% most deprived areas

Statutory homelessness: rate per 1000 households

Children in poverty: % living in low income households

Violent crime: rate per 1,000 population

Supported asylum seekers: Rate per 10,000 population

English Language skills: % of people who cannot speak English / speak it well

Population turnover (internal migration): Rate per 1,000 resident population

Migrant GP registrations: Rate per 1,000 resident population

White ethnic group proportion: % of population who identify their ethnicity as whitw (British, Irish or other)

Mixed/multiple ethnic group proportion: % of population who identify their ethnicity as mixed or multiple groups

Asian or Asian British ethnic group proportion: % of population who identify their ethnicity as Asian or Asian British

Black or Black British ethnic group proportion: % of population who identify their ethnicity as Black or Black British

Other ethnic group proportion: % of population who identify their ethnicity as Other

Services

COUNTY OR UA

Social care mental health clients receiving services during the year: Rate per 100,000 population

New social care assessments per year for mental health clients aged 18-64: Rate per 100,000 population

Social care mental health clients in residential or nursing care during the year aged 18-64: Rate per 100,000 population

Social care mental health clients aged 18-64 years receiving home care during the year: Rate per 100,000 population

Social care mental health clients aged 18-64 receiving day care or day services: Rate per 100,000 population

Carer assessments: People who care for an adult with a mental health condition and were assessed during the year per 100,000 population

Schizophrenia emergency admissions: Rate per 100,000 population

MENTAL HEALTH TRUST

Service users on CPA: % people in contact with MH services who are on care programme approach (end of quarter snapshot)

Service users in hospital: % mental health service users who were inpatients in a psychiatric hospital (end of quarter snapshot)

Admissions under Mental Health Act: % of (quarterly) admissions which were MHA detentions

Acute adult MH beds: rate per 100,000 population aged 16-64

Adult acute MH admissions: Rate per 100,000 population aged 16-64

Adult acute MH bed days: Rate per 100,000 population aged 16-64

Older adult MH admissions: Rate per 100,000 population aged 65+

Older adult MH bed days: Rate per 100,000 population aged 65+

Contact with CMHTs: Rate per 100,000 population aged 16+

Referrals received by CMHT: Rate per 100,000 population aged 16+

Referrals accepted by CMHT: % of all referrals

CMHT caseload: Rate per 100,000 population aged 16+ (snapshot)

Referrals received by CRHT: Rate per 100,000 population aged 16-64

Contacts delivered by CRHT: Rate per 100,000 population aged 16-64

Quality and outcomes

CCG

Recording of accommodation status: % of people in contact with mental health services with accommodation status recorded (end of quarter snapshot)

CPA adults in settled accommodation: % of people aged 18-69 on CPA in settled accommodation (end of quarter snapshot)

Diagnosis coding: % of people in contact with mental health services with a diagnosis recorded (end of quarter snapshot)

Patients assigned to PBR cluster: % of people in contact with mental health services assigned to a cluster (end of quarter snapshot)

COUNTY OR UA

CPA adults in employment: % of people aged 18-69 on CPA in employment

CPA adults in settled accommodation: % of people aged 18-69 on CPA in settled accommodation

Self directed payments: % social care mental health clients receiving direct payments

Self directed support: % social care mental health clients receiving direct payments or have a personal budget

Carers of mental health clients receiving services: carers receiving services or advice or information as % of mental health clients receiving community services

Mortality from suicide and injury undetermined: Standardised rate per 100,000

Excess under 75 mortality in adults with serious mental illness: Standardised mortality ratio

Premature (<75) mortality in adults with serious mental illness: Rate per 100,000 population

Emergency hospital admissions for intentional self-harm: Directly age-sex standardised rate

MENTAL HEALTH TRUST

Service users with crisis plans: % of people in contact with mental health services with a crisis plan in place (end of quarter snapshot)

CPA review: % of people on CPA for more than 12 months who have had a review (end of quarter snapshot)

CPA users with HoNOS assessment: % of people on CPA with HoNOS recorded (end of quarter snapshot)

Emergency admissions: % of (quarterly) admissions which were emergency

Emergency readmissions: % of (quarterly) admissions which were emergency readmissions

Delayed discharges: Days of delayed discharges in the quarter as a rate per 1,000 bed days

Delayed transfers of care due to NHS: Delayed Transfers of Care per 1000 bed days

Delayed transfers of care due to social care: Delayed Transfers of Care per 1000 bed days

Recording of employment status: % of people in contact with mental health services with employment status recorded (end of quarter snapshot)

CPA adults in employment: % of people aged 18-69 on CPA in employment (end of quarter snapshot)

Recording of accommodation status: % of people in contact with mental health services with accommodation status recorded (end of quarter snapshot)

CPA adults in settled accommodation: % of people aged 18-69 on CPA in settled accommodation (end of quarter snapshot)

Quality and outcomes

MENTAL HEALTH TRUST

Diagnosis coding: % of people in contact with mental health services with a diagnosis recorded (end of quarter snapshot)

Patients assigned to PbR cluster: % of people in contact with mental health services assigned to a cluster (end of quarter snapshot)

Adult acute readmissions: % readmissions within 30 days

Adult acute bed days lost to DTOC: % of bed days

Older adult readmissions: % readmissions within 30 days

Older adult bed days lost to DTOC: % of bed days

CMHT contacts which are face to face: % of all contacts

CRHT response: % of CRHT requests with response within 24 hours

Serious incidents: Rate per 100,000 occupied bed days

Use of restraint: Rate per 100,000 occupied bed days

Medication incidents: Rate per 100,000 occupied bed days

Complaints: Rate per 100,000 occupied bed days

Experience of access and waiting: Patient experience summary score

Experience of safe, high quality care: Patient experience score

Experience of better information, more choice: Patient experience score

Experience of Building closer relationships: Patient experience score

Staff training: % of staff receiving job-relevant training, learning or development in last 12 months

Staff health & safety training: % of staff receiving health and safety training in last 12 months

Staff witnessing potentially harmful errors, near misses or incidents: % staff witnessing in last 12 months

Staff engagement: overall score