

The map references

SECTION 1: NEED FOR PALLIATIVE AND END OF LIFE CARE

Map 1: Variation in the proportion of all people who died who were aged 75 years and older by CCG (2015)

None.

Map 2: Variation in the proportion of adults who are aged 65 years or older and who are living alone by lower tier local authority (2011)

- ¹ Age UK Information and advice [Loneliness](#) [Accessed August 2018]
- ² British Red Cross [Action on Loneliness](#) [Accessed August 2018]
- ³ [Campaign to End Loneliness](#) [Accessed August 2018]
- ⁴ NHS England [Social prescribing](#) [Accessed 2018]

Map 3: Variation in the proportion of the population aged 16 years or older who are unpaid carers by CCG (2011)

- ¹ Schonegevel L (2013) [Macmillan Briefing on Carers Issues](#) [Accessed August 2018]
- ² NHS England & NHS Improving Quality (2014) [Commitment for Carers: Report of the findings and outcomes](#) [Accessed August 2018]
- ³ NHS [Your guide to care and support](#) [Accessed August 2018]

Map 4: Variation in the proportion of all people who died with an underlying cause of cancer by CCG (2015)

- ¹ National Institute for Health and Care Excellence (NICE) Conditions and diseases: [Cancer](#) [Accessed August 2018]
- ² National Cancer Registration and Analysis Service (2015) [Older People and Cancer report](#) [Accessed August 2018]
- ³ Pinder RJ, Ferguson J, Moller, H (2016) [Minority ethnicity patient satisfaction and experience: results of the National Cancer Patient Experience Survey in England](#) [Accessed August 2018]
- ⁴ PHE [End of Life Care Profiles](#) [Accessed August 2018]

Map 5: Variation in the proportion of all people who died with an underlying or contributory cause of dementia by CCG (2015)

- ¹ National Institute for Health and Care Excellence (NICE) (2018) [Dementia: assessment, management and support for people living with dementia and their carers](#) Guideline NG27 [Accessed August 2018]
- ² NHS England (2017) [Implementation guide and resource pack for dementia care](#) [Accessed August 2018]
- ³ PHE [Dementia Profile](#) [Accessed August 2018]
- ⁴ Nuffield Council on Bioethics (2009) [Dementia ethical issues](#) [Accessed August 2018]
- ⁵ PHE [End of Life Care Profiles](#) [Accessed August 2018]
- ⁶ National Institute for Health and Care Excellence (NICE) (2010) [Dementia: support in health and social care](#) QS1 [Accessed August 2018]

Map 6: Variation in the proportion of all people who died with an underlying cause of chronic heart disease by CCG (2015)

- 1 Buetow SA, Coster GD (2001) [Do general practice patients with heart failure understand its nature and seriousness, and want improved information?](#) Patient Education and Counseling 45:181-185 [Accessed August 2018]
- 2 Hospice UK (2017) [Heart failure and hospice care](#) [Accessed August 2018]
- 3 Cheang MH, Rose G, and others (2015) [Current challenges in palliative care provision for heart failure in the UK: a survey on the perspectives of palliative care professionals](#) Open Heart 2015;15;2(1):e000188. doi: 10.1136/openhrt-2014-000188. eCollection [Accessed August 2018]
- 4 Johnson MJ, Lehman R. Hogg K (2015) Heart failure and palliative care: a team approach (Second Edition) Taylor & Francis Group
- 5 Johnson MJ, Nunn A, Hawkes T and others (2012) [Planning for end of life care in people with heart failure: experience of two integrated cardiology-palliative care teams](#) British Journal of Cardiology; 19(2):71-5 [Accessed August 2018]
- 6 Bränström M, Boman K (2014) [Effects of person centred and integrated chronic heart failure and palliative home care. PREFER: a randomised controlled study](#) Eur J Heart Fail 16: 1142–115 [Accessed August 2018]
- 7 National Institute of Health and Care Excellence (NICE) (2018) [Chronic heart failure in adults: diagnosis and management. Draft guidelines for consultation](#) [Accessed August 2018]
- 8 Resuscitation Council (UK) the British Cardiovascular Society and the National Council for Palliative Care (2015) [Deactivation of implantable cardioverter-defibrillators towards the end of life](#) [Accessed August 2018]
- 9 PHE National Cardiovascular Intelligence Network (NCVIN) [Cardiovascular disease data and analysis: guide for health professionals](#) [Accessed August 2018]

Map 7: Variation in the proportion of all people who died with an underlying or contributory cause of chronic obstructive pulmonary disease (COPD) by CCG (2015)

- 1 Edmonds P, Karlsen S, Khan S and others (2001) [A comparison of the palliative care needs of patients dying from chronic respiratory diseases and lung cancer](#) Palliat Med Jul;15(4):287-95. [Accessed August 2018]
- 2 Gardiner, C, Merryn G, Payne, S, and others (2010) [Exploring the care needs of patients with advanced COPD: An overview of the literature](#) [Accessed August 2018]
- 3 Hayles C, Coventry PA, Gomm S and others (2009) [Understanding the experience of patients with chronic obstructive pulmonary disease who access specialist palliative care: A qualitative study](#) [Accessed August 2018]
- 4 Narsavage GL, Chen YJ, Korn B and others (2017) [The potential of palliative care for patients with respiratory diseases](#) [Accessed August 2018]
- 5 Nursing times (2016) [Providing timely end-of-life care to patients who have COPD](#) [Accessed August 2018]
- 6 Higginson IJ, Reilly CC, Bajwah S and others on behalf of the GUIDE_Care project (2017) [Which patients with advanced respiratory disease die in hospital? A 14-year population-based study of trends and associated factors](#) BMC Medicine 15:19 [Accessed August 2018]
- 7 PHE [Interactive Health Atlas of Lung conditions in England](#) [Accessed August 2018]

Map 8: Variation in the proportion of people who died with an underlying cause of stroke by CCG (2015)

- 1 Intercollegiate Stroke Working Party (2016) [Sentinel Stroke National Audit Programme Annual Results Portfolio](#) London [Accessed August 2018]
- 2 Burton CR, Payne S, Addington-Hall J and others (2010) [The palliative care needs of acute stroke patients: a prospective study of hospital admissions](#) Age and Ageing, Volume 39, Issue 5, 1 Pages 554–559. [Accessed August 2018]
- 3 Royal College of Physicians (2016) [National Clinical Guideline for Stroke 2016 Fifth Edition](#) [Accessed August 2018]
- 4 [Stroke Act F.A.S.T](#) A national campaign, run by PHE, which aims to raise awareness of the signs of stroke and encourage people to dial 999 if they recognise any one of the symptoms [Accessed August 2018]
- 5 PHE [Cardiovascular disease profiles](#) [Accessed August 2018]
- 6 PHE and NHS RightCare (2017) [The 2nd Atlas of Variation in NHS Diagnostic Services in England](#) [Accessed August 2018]

Map 9: Variation in the proportion of all people who died with an underlying cause of liver disease by CCG (2015)

- ¹ PHE and NHS RightCare (2017) [The 2nd Atlas of Variation in risk factors and healthcare for liver disease in England](#) [Accessed August 2018]
- ² Kendrick E (2013) [Getting it right: Improving end of life care for people living with liver disease](#) [Accessed August 2018]
- ³ The Lancet (2015) [Implementation of the Lancet Standing Commission on Liver Disease in the UK](#) [Accessed August 2018]
- ⁴ PHE [Liver disease profiles](#) [Accessed August 2018]

Map 10: Variation in the percentage change in the annual number of people dying between 2014 and 2030 by lower-tier local authority

- ¹ Etkind SN, Bone A, Gomes B and others (2017) [How many people will need palliative care in 2040? Past trends, future projections and implications for services](#) BMC Medicine 15:102 [Accessed August 2018]

SECTION 2: THE ROLE OF HOSPITALS IN PALLIATIVE AND END OF LIFE CARE

Map 11: Variation in the proportion of all people who died in hospital by CCG (2015)

- ¹ Department of Health and Social Care (2008) [End of life care strategy: promoting high quality care for adults at the end of their life](#) [Accessed August 2018]
- ² National Institute for Health and Care Excellence (NICE) (2015) [Care of dying adults in the last days of life \[NG31\]](#) NICE Guideline [NG31] [Accessed August 2018]
- ³ Leadership Alliance for the Care of Dying People (2014) [One chance to get it right – Improving people’s experience of care in the last few days and hours of life](#) [Accessed August 2018]
- ⁴ NHS England (2015) [Transforming end of life care in acute hospitals: the route to success ‘how to’ guide](#) [Accessed August 2018]

Map 12: Variation in the proportion of all people admitted into hospital during the last 90 days of their life by CCG (2015)

- ¹ NHS England (2015) [Transforming end of life care in acute hospitals: the route to success ‘how to’ guide](#) [Accessed August 2018]
- ² Leadership Alliance for the Care of Dying People (2014) [One chance to get it right – Improving people’s experience of care in the last few days and hours of life](#) [Accessed August 2018]
- ³ National Institute of Health and Care Excellence (NICE) Guideline [NG27] (2015) [Transition between inpatient hospital settings and community or care home settings for adults with social care needs](#) [Accessed August 2018]

Map 13: Variation in the proportion of people who have 3 or more emergency hospital admissions during the last 90 days of life by CCG (2015)

- ¹ Department of Health and Social Care (2008) [End of life care strategy: promoting high quality care for adults at the end of their life](#) [Accessed August 2018]
- ² Hanratty B, Lowson E, Grande G and others (2014) [Transitions at the end of life for older adults – patient, carer and professional perspectives: a mixed-methods study](#) Health Serv Deliv Res;2(17) [Accessed August 2018]
- ³ Temel JS, Greer JA, Muzikansky A and others (2010) [Early palliative care for patients with metastatic non–small-cell lung cancer](#) N Engl J Med 2010; 363:733–42. <http://dx.doi.org/10.1056/NEJMoa1000678> [Accessed August 2018]
- ⁴ Engelhardt JB, Rizzo VM, Della Penna RD and others (2009) [Effectiveness of care coordination and health counseling in advancing illness](#) American Journal of Managed Care. 2009; 15(11):817-825 [Accessed August 2018]
- ⁵ National Institute of Health and Care Excellence (NICE) (2018) [Emergency and acute medical care in over 16s: service delivery and organisation](#) NICE guideline 94 Advance Care Planning chapter 15 [Accessed August 2018]

Map 14: Variation in the proportion of hospital admissions ending in death in hospital which are 8 days or longer by CCG (2015)

- ¹ Office for National Statistics (ONS) (2016) [National Survey of Bereaved People \(VOICES\): England, 2015](#) [Accessed August 2018]
- ² National Institute of Health and Care Excellence (NICE) (2015) [Transition between inpatient hospital settings and community or care home settings for adults with social care needs](#) Guideline [NG27] [Accessed August 2018]
- ³ NHS England [Delayed Transfers of Care](#) [Accessed August 2018]

Map 15: Variation in proportion of all people who died in hospital that had documented evidence of recognition that they would probably die in the coming hours or days by acute hospital trust site (2015)

- ¹ Leadership Alliance for the Care of Dying People (2014) [One chance to get it right – Improving people's experience of care in the last few days and hours of life](#) [Accessed August 2018]
- ² National Institute for Health and Care Excellence (NICE) (2015) [Care of dying adults in the last days of life \[NG31\]](#) NICE Guideline [NG31] [Accessed August 2018]
- ³ National Institute for Health and Care Excellence (NICE) (2017) [Care of dying adults in the last days of life \[QS144\]](#) Quality standard [QS144] [Accessed August 2018]
- ⁴ Royal College of Physicians (2016) [End of Life Care Audit – Dying in Hospital: National report for England 2016](#) [Accessed August 2018]

Map 16: Variation in the proportion of all people who had documented evidence that a health professional had recognised during the last episode of care the person was dying and had discussed this with a nominated person(s) important to the dying person by acute hospital trust site (2015)

- ¹ Leadership Alliance for the Care of Dying People (2014) [One chance to get it right – Improving people's experience of care in the last few days and hours of life](#) [Accessed August 2018]
- ² National Institute for Health and Care Excellence (NICE) (2015) [Care of dying adults in the last days of life \[NG31\]](#) NICE Guideline [NG31] [Accessed August 2018]
- ³ Royal College of Physicians (2016) [End of Life Care Audit – Dying in Hospital: National report for England 2016](#) [Accessed August 2018]

Map 17: Variation in proportion of all people who died in hospital that had documented evidence in the last 24 hours of a holistic assessment of their needs regarding an individual plan of care by acute hospital trust site (2015)

- ¹ Leadership Alliance for the Care of Dying People (2014) [One chance to get it right – Improving people's experience of care in the last few days and hours of life](#) [Accessed August 2018]
- ² National Institute for Health and Care Excellence (NICE) (2015) [Care of dying adults in the last days of life \[NG31\]](#) NICE Guideline [NG31] [Accessed August 2018]
- ³ Royal College of Physicians (2016) [End of Life Care Audit – Dying in Hospital: National report for England 2016](#) [Accessed August 2018]

Map 18: Variation in proportion of all people who died in hospital that had documented evidence in the last 24 hours of a holistic assessment of their needs regarding an individual plan of care by acute hospital trust site (2015)

- ¹ Leadership Alliance for the Care of Dying People (2014) [One chance to get it right – Improving people's experience of care in the last few days and hours of life](#) [Accessed August 2018]
- ² Royal College of Physicians (2016) [End of Life Care Audit – Dying in Hospital: National report for England 2016](#) [Accessed August 2018]
- ³ NHS England (2016) [Specialist Level Palliative Care: Information for commissioners](#) [Accessed August 2018]

SECTION 3: PALLIATIVE AND END OF LIFE CARE IN THE COMMUNITY

Map 19: Variation in the number of patients in need of palliative care/support, as recorded on GP disease registers per 100 deaths by CCG (2015/16)

- ¹ PHE National End of Life Care Intelligence Network (2011) [Predicting Death: Estimating the proportion of deaths that are 'unexpected'](#) [Accessed August 2018]
- ² PHE [National General Practice Profiles](#) [Accessed August 2018]

Map 20: Variation in the proportion of all people who died in a hospice by CCG (2015)

- ¹ Office for National Statistics (ONS) (2016) [National Survey of Bereaved People \(VOICES\): England, 2015](#) [Accessed August 2018]
- ² National Council for Palliative Care [Minimum Data Set reports 2014/15](#) [Accessed August 2018]
- ³ Marie Curie Palliative Care Research Centre, Cardiff University, Public Health England and Hospice UK (2017) [Results of a national survey of support to adult care homes in England: A specialist palliative care provider perspective](#) [Accessed August 2018]
- ⁴ NHS England (2016) [Specialist Level Palliative Care: Information for commissioners](#) [Accessed August 2018]

Map 21: Variation in the proportion of all people that died in a hospice with a recorded cause of death as cancer by STP (2015)

- ¹ Care Quality Commission (CQC) (2016) [A different ending: People with conditions other than cancer](#) [Accessed August 2018]
- ² PHE [End of Life Care Profiles](#) [Accessed August 2018]

Map 22: Variation in the proportion of all people who died in their usual place of residence by CCG (2015)

- ¹ Gomes B, Calanzani N, Higginson IJ (2010) [Local preferences and place of death in regions within England 2010](#) Cicely Saunders International [Accessed August 2018]
- ² The Choice in End of Life Care Programme Board (2015) [What's important to me. A Review of Choice in End of Life](#) [Accessed August 2018]
- ³ Department of Health and Social Care (2012) [End of Life Care Strategy: fourth annual report](#) [Accessed August 2018]
- ⁴ PHE National End of Life Care Intelligence Network [Number and proportion of deaths by place of occurrence](#) [Accessed August 2018]
- ⁵ PHE National End of Life Care Intelligence Network (2017) [Briefing 2 - Place and cause of death for permanent and temporary residents of care homes](#) [Accessed August 2018]
- ⁶ PHE [End of Life Care Profiles](#) [Accessed August 2018]

Map 23: Variation in the proportion of people that died at home by CCG (2015)

- ¹ Gomes B, Calanzani N, Higginson IJ (2010) [Local preferences and place of death in regions within England 2010](#) Cicely Saunders International [Accessed August 2018]
- ² Hoare S, Slote Morris Z and others (2015) [Do Patients Want to Die at Home? A Systematic Review of the UK Literature, Focused on Missing Preferences for Place of Death](#) [Accessed August 2018]
- ³ Office for National Statistics (ONS) (2016) [National Survey of Bereaved People \(VOICES\): England, 2015](#) [Accessed August 2018]
- ⁴ National Palliative and End of Life Care Partnership (2018) [A National framework for local action 2015-2020. National Palliative and End of Life Care Partnership](#) [Accessed August 2018]

Map 24: Variation in the proportion of people that died in a care home by CCG (2015)

- ¹ PHE National End of Life Care Intelligence Network (2017) [Briefing 2 - Place and cause of death for permanent and temporary residents of care homes](#) [Accessed August 2018]
- ² Gold Standards Framework [Accreditation](#) [Accessed August 2018]

- ³ Marie Curie Palliative Care Research Centre, Cardiff University, PHE and Hospice UK (2017) [Results of a national survey of support to adult care homes in England: A specialist palliative care provider perspective](#) [Accessed August 2018]
- ⁴ Care Quality Commission (CQC) (2017) [The state of adult social care services 2014 to 2017](#) [Accessed August 2018]
- ⁵ PHE [End of Life Care Profiles](#) [Accessed August 2018]
- ⁶ NHS (2016) [The framework for enhanced health in care homes](#) [Accessed August 2018]

Map 25: Variation in the proportion of the population who are living in a care home by lower tier local authority (2011)

- ¹ Office for National Statistics (ONS) (2014) [Changes in the Older Resident Care Home Population between 2001 and 2011](#) [Accessed August 2018]
- ² Care Quality Commission (CQC) (2017) [The state of adult social care services 2014 to 2017](#) [Accessed August 2018]
- ³ PHE National End of Life Care Intelligence Network (2017) [The role of care homes in end of life care](#) [Accessed August 2018]

Map 26: Variation in the number of care home beds per 100 people living who are aged 75 years or older by CCG (2017)

- ¹ Kingston A, Wohland P, Wittenberg R and others (2017) [Is late-life dependency increasing or not? A comparison of the Cognitive Function and Ageing Studies](#) (CFAS), The Lancet Volume 390, No. 10103, p1676–1684 [Accessed August 2018]
- ² Care Quality Commission (CQC) (2017) [The state of adult social care services 2014 to 2017](#) [Accessed August 2018]
- ³ PHE [End of Life Care Profiles](#) [Accessed August 2018]
- ⁴ PHE National End of Life Care Intelligence Network (2017) [The role of care homes in end of life care](#) [Accessed August 2018]

Map 27: Variation in the number of nursing home beds per 100 people living who are aged 75 years or older by CCG (2017)

- ¹ Care Quality Commission (CQC) (2017) [The state of adult social care services 2014 to 2017](#) [Accessed August 2018]
- ² Competition and Markets Authority (2017) [Care Homes Market Study](#) [Accessed August 2018]
- ³ PHE [End of Life Care Profiles](#) [Accessed August 2018]
- ⁴ PHE National End of Life Care Intelligence Network (2017) [The role of care homes in end of life care](#) [Accessed August 2018]

Map 28: Variation in the proportion of care home residents that died in a care home by CCG (2015)

- ¹ Department of Health (2009) [End of life care strategy: quality markers and measures for end of life care](#) (The National Archives) [Accessed August 2018]
- ² Badger F, Thomas K, Clifford C (2007) [Raising standards for elderly people dying in care homes](#) European Journal of Palliative Care [Accessed August 2018]
- ³ The University of York, Centre for Reviews and Dissemination (2014) [Interventions to reduce unplanned admissions from care home settings](#) [Accessed August 2018]
- ⁴ PHE [End of Life Care Profiles](#) [Accessed August 2018]
- ⁵ PHE National End of Life Care Intelligence Network (2017) [The role of care homes in end of life care](#) [Accessed August 2018]

Map 29: Variation in the proportion of people who died in a care home who were temporary residents by CCG (2015)

- ¹ PHE National End of Life Care Intelligence Network (2017) [Briefing 2 - Place and cause of death for permanent and temporary residents of care homes](#) [Accessed August 2018]
- ² PHE [End of Life Care Profiles](#) [Accessed August 2018]
- ³ PHE National End of Life Care Intelligence Network (2017) [The role of care homes in end of life care](#) [Accessed August 2018]